

- aromatic hydrocarbons in the atmosphere derived from measured data. *Sci Total Environ* 2010; 408(11): 2387-2393.
11. Dauner ALL, Lourenço RA, Martins CC. Effect of seasonal population fluctuation in the temporal and spatial distribution of polycyclic aromatic hydrocarbons in a subtropical estuary. *Environ Technol Innov* 2016; 5: 41-51.
 12. Ebrahimi-Seirizi Z, Riyahi-Bakhtiari A, Ghaffari S. Petroleum pollution risk assessment in sediment of Hara protected zone with determination of polycyclic aromatic hydrocarbons. *J Mazandaran Univ Med Sci* 2014; 23(2): 186-194.
 13. Kermani M, Asadgol Z, Arfaenia H. A study of Polycyclic Aromatic Hydrocarbons (PAHs) and Trace Elements in Ambient air PM_{2.5} in an Urban Site of Tehran, Iran. *Iran J Health Safe Environ* 2018; 5(2): 947-956.
 14. Almasi A, Dargahi A, Ahagh M, Janjani H, Mohammadi M, Tabandeh L. Efficiency of a constructed wetland in controlling organic pollutants, nitrogen, and heavy metals from sewage. *J Chem Pharm Scie* 2016;9(4):2924-8.
 15. Jahangiri M, Jalali M, Saeidi C, Mohammadpour H, Mardi H, Mehr Alipour J. Health risk assessment of harmful chemicals in order to provide control guidelines: case study in a polyurethane foam industry. *Occup Med Q J* 2014; 5(4): 33-41.
 16. Mustafa MF, Liu Y, Duan Z, Guo H, Xu S, Wang H, *et al.* Volatile compounds emission and health risk assessment during composting of organic fraction of municipal solid waste. *J Hazard Mater* 2017; 327: 35-43.
 17. Dehghani MH, Baghani AN, Fazlzadeh M, Ghaffari HR. Exposure and risk assessment of BTEX in indoor air of gyms in Tehran, Iran. *Microchem J* 2019; 150: 104135.
 18. Mousavian NA, Mansouri N, Nezhadkurki F. Estimation of heavy metal exposure in workplace and health risk exposure assessment in steel industries in Iran. *Meas* 2017; 102: 286-290.
 19. Duruibe JO, Ogwuegbu M, Ekwurugwu J. Heavy metal pollution and human biotoxic effects. *Int J Phys Sci* 2007; 2(5): 112-118.
 20. WHO. Air quality guideline for Europe. WHO European Series, WHO Regional Office for Europe, Copenhagen, 1987, 105-117. <http://www.euro.who.int/air>.
 21. Lin Y-C, Lee W-J, Chen S-J, Chang-Chien G-P, Tsai P-J. Characterization of PAHs exposure in workplace atmospheres of a sinter plant and health-risk assessment for sintering workers. *J Hazard Mater* 2008; 158(2-3): 636-643.
 22. Rahimnejad S, Bahrami A, Assari M, Sultanian A, Rahimpoor R, Negahban A, *et al.* Quantitative risk assessment of occupational exposure to Volatile Organic Compounds in the oil-dependent chemical industry. *J Sabzevar Univ Med Sci* 2014; 21(5): 829-841.
 23. Hydrocarbons A. Method 1501. NIOSH Manual of Analytical Methods (NMAM), Foure Available from: <https://www.cdc.gov/niosh/docs/2003-154/pdfs/1501.pdf>.
 24. WHO (World Health Organization). [Air quality guidelines for Europe. Regional Office for Europe, Copenhagen, Copenhagen. 2th ed; 2111. \[updated Accessed February 20, 2100\]; Available from: http://www.euro.who.int/data/assets/pdf_file/70732/1110/E70222.pdf.](#)
 25. Colman Lerner JE, Sanchez EY, Sambeth JE, Porta AA. Characterization and health risk assessment of VOCs in occupational environments in Buenos Aires, Argentina. *Atmos Environ* 2012; 55: 440-447.
 26. Salaudeen I, Sonibare O, Sojinu S, Ekundayo O. Polycyclic aromatic hydrocarbons in air from industrial areas in Lagos and Ogun states, Nigeria. *Pollut* 2017; 3(4): 561-573.
 27. Liu Y, Zhu L, Shen X. Polycyclic aromatic hydrocarbons (PAHs) in indoor and outdoor air of Hangzhou, China. *Environ Sci Technol* 2001; 35(5): 840-844.
 28. Hosseini G, Teymouri P, Giah O, Maleki A. Health risk assessment of heavy metals in atmospheric PM₁₀ in Kurdistan University of Medical Sciences campus. *J Mazandaran Univ Med Sci* 2016; 25(132): 136-146.